



Table of contents.....	01
Hardware identification table.....	02
Single hitch.....	03
Double hitch.....	04
Double hitch and power steering guide.....	05
Ball hitch.....	06
PowerHitch 3.....	07
PowerHitch 4.....	08
PowerHitch 5.....	09
Draw bar.....	10
Power steering mechanism.....	11
Power steering cable.....	12
Directional cylinder.....	13
Clevis and rod for power steering cable.....	14
Hydraulic system - power steering system - 4D.....	15
Hydraulic system - power steering system - 6D.....	16
Hydraulic system - power steering system - 8D.....	17
Axle.....	18
Suspension system.....	19
Steering knuckle, brake, axle and hub.....	20
Disc brake hub.....	21
Disc brake system - master cylinder.....	22
Disc brake system - 4D.....	23
Disc brake system - 6D.....	24
Disc brake system - 8D.....	25
Disc brake system - brake calipers.....	26
Rim and wheel.....	27

Hardware Identification	
Type	Designation
Hexagonal bolt	-
Carriage bolt	CB
Square head bolt	SB
Socket head cap screw	SCS
Socket head set screw	SSS
Flat head cap screw	FCS
Hexagon nut	-
Hexagon nylon lock nut	N
Hexagon oval lock nut	OVL
Hexagon tri-lock nut	TRI
Castle nut	CSL
Flange nut	FLN
Wing nut	WNG
Flat washer	-
Lock washer	L
SAE washer	SAE
Large ext. dia. washer	LD
Small ext. dia. washer	SD
Stainless steel bolts parts	SS


According to hole diameter	
Top View	Part no
	2018-7704-390
1 5/16"	2018-7704-400
1 3/8"	2018-7704-410
1 1/2"	2018-7704-420
1 5/8"	2018-7704-430
1 3/4"	2018-7704-440
1 7/8"	2018-7704-450
2"	2018-7704-460
2 1/8"	2018-7704-470
2 1/4"	2018-7704-480




Trailer 22 ft and less (According to hole diameter)		
Top view	Part no	Wear plate
	2018-7704-110	2018-1541-050 (1 1/2" $\varnothing$)
1 5/16"	2018-7704-120	
1 3/8"	2018-7704-200	
1 1/2"	2018-7704-130	
1 5/8"	2018-7704-140	2018-1542-890 (1 3/4" $\varnothing$)
1 3/4"	2018-7704-150	
1 7/8"	2018-7704-160	2018-1542-800 (2 3/16" $\varnothing$)
2"	2018-7704-170	
2 1/8"	2018-7704-180	
2 1/4"	2018-7704-190	




Trailer 24 ft (According to hole diameter)		
Top view	Part no	Wear plate
	2018-7704-210	2018-1541-050 (1 1/2" $\varnothing$)
1 5/16"	2018-7704-220	
1 3/8"	2018-7704-230	
1 1/2"	2018-7701-390	
1 5/8"	2018-7704-240	2018-1542-890 (1 3/4" $\varnothing$)
1 3/4"	2018-7704-250	
1 7/8"	2018-7704-260	2018-1542-800 (2 3/16" $\varnothing$)
2"	2018-7704-270	
2 1/8"	2018-7704-280	
2 1/4"	2018-7704-290	







EL48 6100 - 7900 gal (UK) 7300 - 9500 gal (US) 27750 - 35900 l (according to hole diameter)			
Top View 	Part # (2 1/2" opening)	Part # (3" opening)	Wear plate
1 1/4"	2018-7704-300	2018-7704-490	2018-1541-650 (1 1/2"Ø)
1 5/16"	2018-7704-310	2018-7704-500	
1 3/8"	2018-7704-320	2018-7704-510	
1 1/2"	2018-7715-150	2018-7704-520	
1 5/8"	2018-7704-330	2018-7704-530	2018-1542-490 (1 3/4"Ø)
1 3/4"	2018-7704-340	2018-7704-540	
1 7/8"	2018-7704-350	2018-7704-550	2018-1542-500 (2 1/4"Ø)
2"	2018-7704-360	2018-7704-560	
2 1/8"	2018-7704-370	2018-7704-570	
2 1/4"	2018-7704-380	2018-7704-580	


POWER STEERING





Pin Identification			
	Pin diameter	Hole diameter	Part #
	Ø 1"	Ø 1 1/8"	2018-3802-420
	Ø 1 1/4"	Ø 1 3/8"	2018-3802-430
	Ø 1 3/8"	Ø 1 1/2"	2018-3802-440
	Ø 1 1/2"	Ø 1 5/8"	2018-3802-460
For other hole diameter, the pin must be provided by the customer			













NOTE: All draw bars listed below are standard without options. For draw bar replacement requiring an option, order a standard draw bar and add the desired option(s):
 2018-8048-520; Additional 500 lb on draw bar.
 2018-8000-500; Trusses under draw bar (500 lbs not included)

2018-1702-350 (3") Single and double hitch draw bar	
Undercarriage 22 ft and less	2018-7627-530
Undercarriage 24 ft and more	2018-7627-550

 Ball hitch draw bar	
Undercarriage 16 and 18 ft	2018-7709-450
Undercarriage 20 and 22 ft	2018-7709-460
Undercarriage 24 ft and more	2018-7709-470

2018-1702-350 PowerHitch 3, 4 and 5 draw bar	
All undercarriage length	2018-7744-100







TR48-4D	
Single hitch	2018-7633-540
Double hitch	2018-7614-090
Ball hitch	2018-7600-940
PowerHitch 3 & 4	2018-7643-150
PowerHitch 5	2018-7601-460

TR48-6D	
Single hitch	2018-7633-570
Double hitch for undercarriage 24 ft and less	2018-7633-580
Double hitch for undercarriage 26 ft and more	2018-7616-690
Ball hitch	2018-7601-410
PowerHitch 3 & 4	2018-7643-160
PowerHitch 5	2018-7601-470

TR48-8D	
Single hitch	2018-7633-600
Double hitch	2018-7617-420
PowerHitch 3 & 4	2018-7643-170
PowerHitch 5	2018-7601-480

POWER STEERING CABLE			
			
Length	Part no	Length	Part no
126"	2018-3710-000	258"	2018-3710-320
130"	2018-3710-010	262"	2018-3710-030
134"	2018-3710-590	266"	2018-3710-330
138"	2018-3710-020	270"	2018-3710-340
142"	2018-3710-030	278"	2018-3710-350
146"	2018-3710-040	282"	2018-3710-360
150"	2018-3710-050	286"	2018-3710-640
154"	2018-3710-060	290"	2018-3710-370
158"	2018-3710-070	294"	2018-3710-380
162"	2018-3710-080	296"	2018-3710-390
165"	2018-3710-090	297"	2018-3710-400
166"	2018-3710-100	300"	2018-3710-410
170"	2018-3710-600	302"	2018-3710-420
174"	2018-3710-110	306"	2018-3710-650
175"	2018-3710-120	309"	2018-3710-430
178"	2018-3710-130	310"	2018-3710-440
182"	2018-3710-140	314"	2018-3710-450
186"	2018-3710-150	318"	2018-3710-460
190"	2018-3710-160	322"	2018-3710-660
194"	2018-3710-170	326"	2018-3710-470
198"	2018-3710-610	330"	2018-3710-670
202"	2018-3710-550	334"	2018-3710-480
206"	2018-3710-620	338"	2018-3710-490
215"	2018-3710-180	342"	2018-3710-680
218"	2018-3710-190	346"	2018-3710-500
220"	2018-3710-200	350"	2018-3710-720
222"	2018-3710-210	370"	2018-3710-510
225"	2018-3710-220	375"	2018-3710-520
230"	2018-3710-230	382"	2018-3710-530
232"	2018-3710-240	386"	2018-3710-700
234"	2018-3710-250	394"	2018-3710-540
238"	2018-3710-260	398"	2018-3710-710
244"	2018-3710-270	406"	2018-3700-050
246"	2018-3710-280	410"	2018-3700-040
250"	2018-3710-290	418"	2018-3710-790
254"	2018-3710-300	422"	2018-3700-030
256"	2018-3710-310		





CLEVIS AND ROD FOR CABLE ON DIRECTIONAL AXLE


NOTE: Before ordering, always refer to the serial no

TR48-4D / TR48-6D		
Tire	Clevis	Rod for power steering
FIRESTONE 28L x 26 ALLIANCE 28L x 26 GOODYEAR 18.4 x 26 GOODYEAR 23.1 x 26 (Specify Serial No.)	 2018-7708-910 OR 2018-7722-800	 2018-7708-870 OR 2018-7722-790
GOODYEAR 28L x 26 GALAXY 725 x 65 x 26	 2018-7722-800	 2018-7722-790
TIRE 850 GALAXY 850 x 50 x 32 ALLIANCE 850 x 50 x 30.5	 2018-7730-250	 2018-7730-260


TR48-8D			
Tire	Clevis	Rod for power steering (axle 3 fixed)	
		For axle 1	For axles 2 and 4
FIRESTONE 28L x 26 ALLIANCE 28L x 26 GOODYEAR 18.4 x 26 GOODYEAR 23.1 x 26 (Specify Serial No.)	 2018-7708-910 OR 2018-7722-800	 2018-7708-870 OR 2018-7722-790	 2018-7735-900
GOODYEAR 28L x 26 GALAXY 725 x 65 x 26	 2018-7722-800	 2018-7722-790	 2018-7735-900
TIRE 850 GALAXY 850 x 50 x 32 ALLIANCE 850 x 50 x 30.5	 2018-7730-250	 2018-7730-260	 2018-7735-910









HYDRAULIC SYSTEM - POWER STEERING SYSTEM - 8D






Non-directional axle




2018-1505-500
2018-3902-930
2018-3201-040
2018-3902-930
See pages 24 to 27


Directional axle



Detail A




Detail B





Grease line option:

Hyd. hose
Ø1/4" X
1/4" NPT - 1/4" NPT
Male - Male




For hydraulic hose replacement,
refer to Hardware & Accessories.






2018-4710-690

10 bolts
18 000 lbs
for Ø17 3/8"
brake disc



2018-4710-250

10 bolts
18 000 lbs
for Ø15 3/8"
brake disc



For hydraulic hose replacement,
refer to Hardware & Accessories.

