


Table of contents.....	01-02
3" Regular Pump - Upper Section.....	03
3" Regular Pump - Lower Section.....	04
3" High Pressure Pump - Upper Section.....	05
3" High Pressure Pump - Lower Section.....	06
3" Compact Pump - Upper Section.....	07
3" Compact pump - Lower Section.....	08
3" Pump - Rotating Agitation Nozzle.....	09
3" Pump - Rotating Agitation Nozzle with Vertical Adjustment.....	10
4" Pump for Hog Manure - Upper Section.....	11
4" Pump for Hog Manure - Lower Section.....	12
4" Pump for Hog Manure - Agitation Nozzle.....	13
4" Pump for Liquid Dairy Manure - Upper Section - Single Motor.....	14
4" Pump for Liquid Dairy Manure - Upper Section - Twin Motor.....	15
4" Pump for Liquid Dairy Manure - Lower Section.....	16
4" Pump for Liquid Dairy Manure - Agitation Nozzle.....	17-18
4" High Pressure Pump - Upper Section - Single Motor.....	19
4" High Pressure Pump - Upper Section - Twin Motor.....	20
4" High Pressure Pump - Lower Section.....	21
4" High Pressure Pump - Agitation Nozzle.....	22
4" Agi-Pompe - Upper Section - Single Motor.....	23
4" Agi-Pompe - Upper Section - Twin Motor.....	24
4" Agi-Pompe - Gear Box and Propeller.....	25
4" Agi-Pompe - Impeller and Housing.....	26
Gear Box #300.....	27
4" Agi-Pompe - Agitation Nozzle.....	28
8" Flush Pump - Upper Section - Single Motor.....	29
8" Flush Pump - Upper Section - Twin Motor.....	30
8" Flush Pump - Lower Section.....	31-32
Bearing Housing.....	33
Quick Fastening system.....	34
Sliding and Tilting Pump Support.....	35-36
Speed Reducer.....	37
Diaphragm Switch.....	38
Upper Section before January 2017.....	A
3" Regular Pump - Oilite Bushing Before April 2018.....	B
3" Compact Pump - Oilite Bushing Before April 2018.....	C

Hardware Identification	
Type	Designation
Hexagonal bolt	-
Carriage bolt	CB
Square head bolt	SB
Socket head cap screw	SCS
Socket head set screw	SSS
Flat head cap screw	FCS
Hexagon nut	-
Hexagon nylon lock nut	N
Hexagon oval lock nut	OVL
Hexagon tri-lock nut	TRI
Castle nut	CSL
Flange nut	FLN
Wing nut	WNG
Half Hexagon nylon lock nut	HN
Flat washer	-
Lock washer	L
SAE washer	SAE
Large ext. dia. washer	LD
Small ext. dia. washer	SD
Stainless steel bolts parts	SS




3" REGULAR PUMP - Upper section




★SCREW-ON COUPLING
★★CRIMPED COUPLING (FACTORY MOUNTED)

3" REGULAR PUMP - Lower section

3" PUMP				
Pump Model (Pit Depth)	Drive Shaft Part Number New Model -since October 2006	Drive Shaft Part Number Previous Model-before October 2006		Qty
4'	2008-0715-290	36 1/4"	2008-0700-330	43 3/8"
5'	2008-0715-300	48 1/4"	2008-0700-340	55 3/8"
6'	2008-0715-310	60 1/4"	2008-0700-350	67 3/8"
7'	2008-0715-320	72 1/4"	2008-0700-360	79 3/8"
8'	2008-0715-330	84 1/4"	2008-0700-370	91 3/8"
9'	2008-0715-340	96 1/4"	2008-0700-380	103 3/8"
10'	2008-0715-350	108 1/4"	2008-0700-390	115 3/8"
11'	2008-0715-360	120 1/4"	2008-0700-400	127 3/8"
12'	2008-0715-370	132 1/4"	2008-0700-410	139 3/8"
13'	2008-0715-380	144 1/4"	2008-0700-420	151 3/8"
14'	2008-0715-390	156 1/4"	2008-0700-430	163 3/8"
15'	2008-0715-400	168 1/4"	2008-0700-440	175 3/8"
16'	2008-0715-410	180 1/4"	2008-0700-450	187 3/8"
17'	2008-0715-420	192 1/4"	2008-0700-460	199 3/8"
18'	2008-0715-430	204 1/4"	2008-0700-470	211 3/8"
19'	2008-0715-440	216 1/4"	2008-0700-480	223 3/8"
20'	2008-0715-450	228 1/4"	2008-0700-490	235 3/8"




3" HIGH PRESSURE PUMP - Upper section




*SCREW-ON COUPLING
**CRIMPED COUPLING (FACTORY MOUNTED)

3" HIGH PRESSURE PUMP - Lower section




3" COMPACT PUMP - Upper section




3" PUMP					Qty
Pump Model (Pit Depth)	Drive Shaft Part Number New Model -since October 2006		Drive Shaft Part Number Previous Model-before October 2006		
4'	2008-0715-290	36 1/4"	2008-0700-330	43 3/8"	1
5'	2008-0715-300	48 1/4"	2008-0700-340	55 3/8"	1
6'	2008-0715-310	60 1/4"	2008-0700-350	67 3/8"	1
7'	2008-0715-320	72 1/4"	2008-0700-360	79 3/8"	1
8'	2008-0715-330	84 1/4"	2008-0700-370	91 3/8"	1
9'	2008-0715-340	96 1/4"	2008-0700-380	103 3/8"	2
10'	2008-0715-350	108 1/4"	2008-0700-390	115 3/8"	2
11'	2008-0715-360	120 1/4"	2008-0700-400	127 3/8"	2
12'	2008-0715-370	132 1/4"	2008-0700-410	139 3/8"	2
13'	2008-0715-380	144 1/4"	2008-0700-420	151 3/8"	3
14'	2008-0715-390	156 1/4"	2008-0700-430	163 3/8"	3
15'	2008-0715-400	168 1/4"	2008-0700-440	175 3/8"	3
16'	2008-0715-410	180 1/4"	2008-0700-450	187 3/8"	4
17'	2008-0715-420	192 1/4"	2008-0700-460	199 3/8"	4
18'	2008-0715-430	204 1/4"	2008-0700-470	211 3/8"	4
19'	2008-0715-440	216 1/4"	2008-0700-480	223 3/8"	5
20'	2008-0715-450	228 1/4"	2008-0700-490	235 3/8"	5

*REUSABLE CRIMP COUPLING


****CRIMP COUPLING PRESSED ON HOSE (FACTORY MOUNTED)**




3" PUMP - Rotating agitation nozzle



3" PUMP - Rotating agitation nozzle with vertical adjustment





4" PUMP FOR HOG MANURE - Upper section



4" PUMP FOR HOG MANURE - Lower Section

4" PUMP					
Pump Model (Pit Depth)	Drive Shaft Part Number New Model -since October 2006	Drive Shaft Part Number Previous Model-before October 2006			Qty
4'	2008-0715-310	60 1/4"	2008-0700-350	67 3/8"	1
5'	2008-0715-320	72 1/4"	2008-0700-360	79 3/8"	1
6'	2008-0715-330	84 1/4"	2008-0700-370	91 3/8"	1
7'	2008-0715-340	96 1/4"	2008-0700-380	103 3/8"	2
8'	2008-0715-350	108 1/4"	2008-0700-390	115 3/8"	2
9'	2008-0715-360	120 1/4"	2008-0700-400	127 3/8"	2
10'	2008-0715-370	132 1/4"	2008-0700-410	139 3/8"	2
11'	2008-0715-380	144 1/4"	2008-0700-420	151 3/8"	3
12'	2008-0715-390	156 1/4"	2008-0700-430	163 3/8"	3
13'	2008-0715-400	168 1/4"	2008-0700-440	175 3/8"	3
14'	2008-0715-410	180 1/4"	2008-0700-450	187 3/8"	3
15'	2008-0715-420	192 1/4"	2008-0700-460	199 3/8"	4
16'	2008-0715-430	204 1/4"	2008-0700-470	211 3/8"	4
17'	2008-0715-440	216 1/4"	2008-0700-480	223 3/8"	4
18'	2008-0715-450	228 1/4"	2008-0700-490	235 3/8"	5



★ REUSABLE CRIMP COUPLING


★★ CRIMP COUPLING PRESSED ON HOSE (FACTORY MOUNTED)

4" PUMP FOR HOG MANURE - Agitation nozzle


Pump Model (Pit Depth)	Part #	Tube
4'	2008-7732-720	70 3/4"
5'	2008-7701-300	82 3/4"
6'	2008-7732-730	94 3/4"
7'	2008-7701-310	106 3/4"
8'	2008-7732-740	118 3/4"
9'	2008-7701-320	130 3/4"
10'	2008-7732-750	142 3/4"
11'	2008-7701-330	154 3/4"
12'	2008-7701-760	166 3/4"
13'	2008-7701-340	178 3/4"
14'	2008-7701-350	190 3/4"
15'	2008-7701-360	202 3/4"
16'	2008-7701-370	214 3/4"
17'	2008-7701-380	226 3/4"
18'	2008-7701-390	238 3/4"
19'	2008-7701-400	253 3/4"
20'	2008-7701-410	265 3/4"

Pump Model (Pit Depth)	Part #	Tube
4'	2008-7701-420	48"
5'	2008-7701-430	60"
6'	2008-7732-640	72"
7'	2008-7701-440	84"
8'	2008-7732-650	96"
9'	2008-7701-450	108"
10'	2008-7732-660	120"
11'	2008-7701-470	132"
12'	2008-7734-790	144"
13'	2008-7701-480	156"
14'	2008-7732-670	168"
15'	2008-7701-490	180"
16'	2008-7701-500	192"
17'	2008-7701-510	204"
18'	2008-7701-520	216"
19'	2008-7701-530	228"
20'	2008-7701-540	240"

Pump Model (Pit Depth)	Part #	Tube
4'	2008-7732-230	62"
5'	2008-7732-240	74"
6'	2008-7732-250	86"
7'	2008-7732-260	98"
8'	2008-7732-270	110"
9'	2008-7732-280	122"
10'	2008-7732-290	134"
11'	2008-7732-300	146"
12'	2008-7732-310	158"
13'	2008-7732-320	170"
14'	2008-7732-340	182"
15'	2008-7732-350	194"
16'	2008-7732-360	206"
17'	2008-7732-370	218"
18'	2008-7732-380	230"
19'	2008-7732-390	242"
20'	2008-7732-400	254"




4" PUMP FOR LIQUID DAIRY MANURE - Upper section - Single motor



★ REUSABLE CRIMP COUPLING

★★ CRIMP COUPLING PRESSED ON HOSE (FACTORY MOUNTED)


4" PUMP FOR LIQUID DAIRY MANURE - Upper section - Twin motor




* REUSABLE CRIMP COUPLING

** CRIMP COUPLING PRESSED ON HOSE (FACTORY MOUNTED)


4" PUMP FOR LIQUID DAIRY MANURE - Lower section




4" PUMP FOR LIQUID DAIRY MANURE - Agitation nozzle



4" PUMP FOR LIQUID DAIRY MANURE - Agitation nozzle




4" HIGH PRESSURE PUMP - Upper section - Single motor



* REUSABLE CRIMP COUPLING

** CRIMP COUPLING PRESSED ON HOSE (FACTORY MOUNTED)

4" HIGH PRESSURE PUMP - Upper section - Twin motor




* REUSABLE CRIMP COUPLING

** CRIMP COUPLING PRESSED ON HOSE (FACTORY MOUNTED)

4" HIGH PRESSURE PUMP - Lower section


4" PUMP			
Pump Model (Pit Depth)	Drive Shaft Part Number		Qty
4'	2008-0740-160	53 3/4"	1
5'	2008-0740-170	65 3/4"	1
6'	2008-0740-180	77 3/4"	1
7'	2008-0740-190	89 3/4"	1
8'	2008-0740-200	101 3/4"	1
9'	2008-0740-210	113 3/4"	1
10'	2008-0740-320	125 3/4"	1
11'	2008-0740-220	137 3/4"	1
12'	2008-0740-230	149 3/4"	1
13'	2008-0740-240	161 3/4"	2
14'	2008-0740-250	173 3/4"	2
15'	2008-0740-260	185 3/4"	2
16'	2008-0740-270	197 3/4"	3
17'	2008-0740-280	209 3/4"	3
18'	2008-0740-290	221 3/4"	3
19'	2008-0740-300	233 3/4"	3
20'	2008-0740-310	245 3/4"	3




★REUSABLE CRIMP COUPLING

★★CRIMP COUPLING PRESSED ON HOSE (FACTORY MOUNTED)


4" HIGH PRESSURE PUMP - Agitation nozzle



4" AGI-POMPE - Upper section - Single motor





4" AGI-POMPE - Upper section - Twin motor



* REUSABLE CRIMP COUPLING

** CRIMP COUPLING PRESSED ON HOSE (FACTORY MOUNTED)

4" AGI-POMPE - Gear box and propeller



4" PUMP			
Pump Model (Pit Depth)	Drive Shaft Part Number	Qty	
4'	2008-0740-620 53 3/4"	1	
5'	2008-0740-630 65 3/4"	1	
6'	2008-0740-640 77 3/4"	1	
7'	2008-0740-650 89 3/4"	1	
8'	2008-0740-660 101 3/4"	1	
9'	2008-0740-670 113 3/4"	1	
10'	2008-0740-770 125 3/4"	1	
11'	2008-0740-680 137 3/4"	1	
12'	2008-0740-750 149 3/4"	1	
13'	2008-0740-690 161 3/4"	2	
14'	2008-0740-790 173 3/4"	2	
15'	2008-0740-700 185 3/4"	2	
16'	2008-0740-760 197 3/4"	3	
17'	2008-0740-710 209 3/4"	3	
18'	2008-0740-800 221 3/4"	3	
19'	2008-0740-720 233 3/4"	3	
20'	2008-0740-810 245 3/4"	3	




REPAIR KIT
Since june 2019
2008-7500-810

★REUSABLE CRIMP COUPLING


★★CRIMP COUPLING PRESSED ON HOSE (FACTORY MOUNTED)

4" AGI-POMPE - Impeller and housing




COMPLETE GEAR BOX 2019-2800-050


GEAR BOX # 300




4" AGI-POMPE - Agitation nozzle




8" FLUSH PUMP - Upper section - Single motor




8" FLUSH PUMP - Upper section - Twin motor






8" PUMP			
Pump Model (Pit Depth)	DISCHARGE PIPE		Qty
6'	2008-7702-040	12"	1
7'	2008-7702-050	24"	1
8'	2008-7702-030	36"	1
9'	2008-7702-060	48"	2
10'	2008-7702-070	60"	2
11'	2008-7702-080	72"	2
12'	2008-7702-090	84"	2
13'	2008-7702-100	96"	2
14'	2008-7702-110	108"	2
15'	2008-7702-120	120"	2
16'	2008-7702-130	132"	3
17'	2008-7702-140	144"	3
18'	2008-7702-150	156"	3
19'	2008-7702-160	168"	3
20'	2008-7702-170	180"	3
21'	2008-7702-180	192"	3
22'	2008-7702-190	204"	3
23'	2008-7702-200	216"	3
24'	2008-7702-210	228"	3





8" FLUSH PUMP - Lower section - Twin motor




*CRIMPED COUPLING
**CRIMPED COUPLING PRESSED ON HOSE (FACTORY MOUNTED)


COMPLETE BEARING HOUSING
2008-7616-550



6"



8"




SLIDING AND TILTING PUMP SUPPORT

COMPLETE SLIDING AND TILTING PUMP SUPPORT


2008-7610-520

FOR 4" PUMP AND AGI-POMPE ONLY



OPTION WINCH ON SUPPORT

FOR 4" PUMP ONLY




★ NOT INCLUDED WITH 2008-7610-520

COMPLETE SLIDING AND TILTING PUMP SUPPORT


2019-7623-070

FOR 4" HIGH PRESSURE PUMP AND 8" FLUSH PUMP ONLY




★ NOT INCLUDED WITH 2019-7623-070


COMPLETE SPEED REDUCER
MODEL BH60 LEFT
RATIO 60/1
2012-2800-410




Repair kit



Complete diaphragm switch
2019-7623-220






* REUSABLE CRIMP COUPLING

** CRIMP COUPLING PRESSED ON HOSE (FACTORY MOUNTED)

*** NEW MODEL - SINCE JANUARY 2009

**** PREVIOUS MODEL - BEFORE JANUARY 2009




3" PUMP		
Pump Model (Pit Depth)	Drive Shaft Part Number	Length
6'	2008-0715-460	69 1/16"
8'	2008-0715-480	93 1/16"
10'	2008-0715-470	117 1/16"
12'	2008-0715-490	141 1/16"



*SCREW-ON COUPLING
 **CRIMPED COUPLING (FACTORY MOUNTED)

3" COMPACT PUMP BEFORE 2018- Oilite bushing

3" PUMP		
Pump Model (Pit Depth)	Drive Shaft Part Number	Length
6'	2008-0715-460	69 1/16"
8'	2008-0715-480	93 1/16"
10'	2008-0715-470	117 1/16"
12'	2008-0715-490	141 1/16"



★ REUSABLE CRIMP COUPLING
★★ CRIMP COUPLING PRESSED ON HOSE (FACTORY MOUNTED)