




1 Maatblad - VARIVENT® / VARINLINE® Behuizingsaansluiting U en U-S



Afb.1: 1 = Behuizingsaansluiting U / 2 = Behuizingsaansluiting U-S



Afb.2: A = Sluitting



Afb.3: Lasapparaat

Benaming		Materiaal		Productnr.			
		DN 25 1"	DN 50/40 2"/1,5"	DN 80/65 3"/2,5"	DN 100 4"	DN 125	DN 150 6"
Behuizingsaansluiting U	1.4404 / 3.1	221-149.01	221-149.02	221-149.03	221-149.04	221-149.10	221-149.06
Behuizingsaansluiting U-S	1.4404 / 3.1	221-149.29	221-149.30	221-149.31	221-149.32	221-149.33	221-149.28
		1.4435 / 3.1	--	221-149.18	--	--	--
		Maten in mm					
A		Ø 66	Ø 84	Ø 115	Ø 142	Ø 169	Ø 193
D		Ø 70	Ø 85	Ø 114	Ø 154	Ø 184	Ø 212
H		25	25	30	30	30	30
H1		12	12	15	15	15	15
H-S		65	65	70	70	70	70
S		2	2	2,5	2	3	4
X max.		40	40	40	40	40	30
		toelaatbare druk in bar					
		16	16	16	10	10	10
Pos.	Materiaal	Vereiste sluiting					
A	1.4404	221-144.01	221-144.02	221-144.03	221-144.04	221-144.06	221-144.05
		Benodigd lasapparaat cpl.					
Lasapparaat U cpl.		229-104.91	229-104.92	229-104.93	229-104.94	229-104.95	229-104.96
Lasapparaat U/RENT cpl.		229-104.97	229-104.98	229-104.99	229-104.100	229-104.101	229-104.102

Let op!

Bij het inlassen van de behuizingsaansluiting dienen de lasinstructies 221RLI002533 en 221RLI013845 in acht te worden genomen.

